



City Of Poughkeepsie

2019 Inventory of Government Operations Greenhouse Gas Emissions

OCTOBER, 3RD 2023

Produced by the City of
Poughkeepsie Planning
Department with Assistance
from ICLEI – Local Governments
for Sustainability USA and the
Hudson Valley Regional Council

Credits and Acknowledgements

Marc Nelson, Mayor

Joe Donat, Interim Development Director

Richard Distel, City Planner

Tyler Maegerle, Junior Planner

Adam Yasjeko, Senior Accounting Clerk

Brian Finn, Scenic Hudson Contact

Stephen Abenavoli, Staff Assistant, Westchester County Dept of Environmental Facilities

Lou Vetrone, Deputy Commissioner, Westchester County Department of Environmental Facilities

Mary Lambert, Climate Action Planning Institute Coordinator

Caroline Dickey, ICLEI USA, Program Officer

ICLEI-Local Governments for Sustainability USA

This template was updated by ICLEI in 2022

CAPI

CAPI is a *program* of the Hudson Valley Regional Council. *This program has been funded in part through a grant to the County of Dutchess as lead applicant through the Climate Smart Communities Grant Program, Title 15 of the Environmental Protection Fund through the New York State Department of Environmental Conservation.*

Table of Contents

Credits and Acknowledgements	2
ICLEI-Local Governments for Sustainability USA	2
Tables and Figures	4
List of Tables	4
List of Figures	4
Executive Summary	5
Key Findings	6
Introduction to Climate Change	7
Greenhouse Gas Inventory as a Step Toward Carbon Neutrality	9
ICLEI Climate Mitigation Milestones	10
Inventory Methodology	11
Understanding a Greenhouse Gas Emissions Inventory	11
Local Government Operations (LGO) Protocol	12
Quantifying Greenhouse Gas Emissions	12
<i>Sources and Activities</i>	Error! Bookmark not defined.
<i>Base Year</i>	12
<i>Quantification Methods</i>	12
Government Operations Emissions Inventory Results	13
Next Steps:	15
Conclusion	16
Appendix: Methodology Details	17
Energy	17
Transportation	17
Wastewater	18
Potable Water [if reported separately, omit if not]	Error! Bookmark not defined.
Solid Waste	18
Fugitive Emissions	Error! Bookmark not defined.
Inventory Calculations	19

Tables and Figures

List of Tables

Table 1: Global Warming Potential Values (IPCC, 2014).....	11
Table 2: Local Government Operations Inventory.....	13
Table 3: Energy Data Sources.....	17
Table 4: Emissions Factors for Electricity Consumption	17
Table 5: Transportation Data Sources.....	17
Table 6: MPG and Emissions Factors by Vehicle Type	18
Table 7: Wastewater Data Sources.....	18
Table 8: Potable Water Data Sources	Error! Bookmark not defined.
Table 9: Solid Waste Data Sources.....	18
Table 10: Fugitive Emissions Data Sources	Error! Bookmark not defined.

List of Figures

Figure 1: Government Operations Emissions by Sector	6
Figure 2: ICLEI Climate Mitigation Milestones	10
Figure 3: Relationship of Community and Government Operations Inventories	11
Figure 4: Local Government Operations Emissions by Sector	15



This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/). It may not be used for any commercial purpose. Any non-commercial use of this material must provide attribution to ICLEI Local Governments for Sustainability USA.

Executive Summary

The City of Poughkeepsie recognizes that greenhouse gas (GHG) emissions from human activity are catalyzing profound climate change, the consequences of which pose substantial risks to the future health, wellbeing, and prosperity of our community.

The City of Poughkeepsie has been working with New York State's Climate Smart Communities program since 2019, with whom it has achieved several climate smart actions such as; Advanced Vehicles; LED Street Lights; LED Traffic Signals; Energy Code Enforcement Training; Waste Reduction Education Campaign; Policies for Local Food Systems; Green Parking Lot Policies; Infrastructure for Biking and Walking; Alternative Fuel Infrastructure; Natural Resources Inventory; Local Forestry Program; Evaluate Policies for climate resilience; Brownfield Clean-up & Redevelopment; Community Choice Aggregation; Social Media and Innovative approaches to Existing CSC Actions.

This report provides estimates of greenhouse gas emissions resulting from activities within the City's government operations. The inventory accounts for scopes 1, 2 and some scope 3 emissions (employee commuting).


Key Findings

Figure 1 shows local government operations emissions. The Buildings and Facilities sector accounts for a majority (41%) of these emissions. The next largest contributor is the vehicle fleet (36%). Actions to reduce emissions from these sectors will be a key part of any future climate action plan developed by the City of Poughkeepsie. Street lights, traffic lights, water and wastewater Facilities were responsible for the remainder (16%) of local government operations emissions.

The Inventory Results section of this report provides a detailed profile of emissions sources within Poughkeepsie; information that is key to guiding local reduction efforts. These data will also provide a baseline against which the city will be able to compare future performance and demonstrate progress in reducing emissions.

Figure 1: Government Operations Emissions by Sector

CO2e By Category



Introduction to Climate Change

Naturally occurring gases dispersed in the atmosphere determine the Earth's climate by trapping solar radiation. This phenomenon is known as the greenhouse effect. Overwhelming evidence shows that human activities are increasing the concentration of greenhouse gases and changing the global climate. The most significant contributor is the burning of fossil fuels for transportation, electricity generation and other purposes, which introduces large amounts of carbon dioxide and other greenhouse gases into the atmosphere. Collectively, these gases intensify the natural greenhouse effect, causing global average surface and lower atmospheric temperatures to rise, threatening the safety, quality of life, and economic prosperity of global communities. Although the natural greenhouse effect is needed to keep the earth warm, a human enhanced greenhouse effect with the rapid accumulation of GHG in the atmosphere leads to too much heat and radiation being trapped. The Intergovernmental Panel on Climate Change (IPCC) Sixth Assessment Report confirms that human activities have unequivocally caused an increase in carbon emissions¹. Many regions are already experiencing the consequences of global climate change, and the City of Poughkeepsie is no exception.

Human activities are estimated to have caused approximately 1.0°C of global warming above pre-industrial levels, with a likely range of 0.8°C to 1.2°C. Global warming is likely to reach 1.5°C between 2030 and 2052 if it continues to increase at the current rate. (high confidence) Warming from anthropogenic emissions from the pre-industrial period to the present will persist for centuries to millennia and will continue to cause further long-term changes in the climate system, such as sea level rise, with associated impacts (high confidence), but these emissions alone are unlikely to cause global warming of 1.5°C (medium confidence). Climate-related risks for natural and human systems are higher for global warming of 1.5°C than at present, but lower than at 2°C (high confidence). These risks depend on the magnitude and rate of warming, geographic location, levels of development and vulnerability, and on the choices and implementation of adaptation and mitigation options (high confidence)².

¹IPCC, 2021: Summary for Policymakers. In: Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [Masson-Delmotte, V., P. Zhai, A. Pirani, S. L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M. I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J. B. R. Matthews, T. K. Maycock, T. Waterfield, O. Yelekçi, R. Yu and B. Zhou (eds.)]. Cambridge University Press. In Press.

²IPCC, 2018: Summary for Policymakers. In: Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty [Masson-Delmotte, V., P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J.B.R. Matthews, Y. Chen, X. Zhou, M.I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, and T. Waterfield (eds.)]. World Meteorological Organization, Geneva, Switzerland, 32 pp.

According to the [National Climate Assessment](#), intensity and frequency of destructive weather events along the Eastern United States have been increasing with the changing climate. Poughkeepsie's riverside location makes it susceptible to flooding during hurricanes and major storms.

Many communities in the United States have started to take responsibility for addressing climate change at the local level. Reducing fossil fuel use in the community can have many benefits in addition to reducing greenhouse gas emissions. More efficient use of energy decreases utility and transportation costs for residents and businesses. Retrofitting homes and businesses to be more efficient creates local jobs. In addition, when residents save on energy costs, they are more likely to be spend at local businesses and add to the local economy. Reducing fossil fuel use improves air quality, and increasing opportunities for walking and bicycling improves residents' health.



Figure 2: Ashworth Creative 2023

Greenhouse Gas Inventory as a Step Toward Carbon Neutrality


Facing the climate crisis requires the concerted efforts of local governments and their partners, those that are close to the communities directly dealing with the impacts of climate change.

Cities, towns and counties are well placed to define coherent and inclusive plans that address integrated climate action — climate change adaptation, resilience and mitigation. Existing targets and plans need to be reviewed to bring in the necessary level of ambition and outline how to achieve net-zero emissions by 2050 at the latest. Creating a roadmap for climate neutrality requires the City of Poughkeepsie to identify priority sectors for action, while considering climate justice, inclusiveness, local job creation and other benefits of sustainable development.

To complete this inventory, the City of Poughkeepsie utilized tools and guidelines from ICLEI - Local Governments for Sustainability (ICLEI), which provides authoritative direction for greenhouse gas emissions accounting and defines climate neutrality as follows:

The targeted reduction of greenhouse gas (GHG) emissions and GHG avoidance in government operations and across the community in all sectors to an absolute net-zero emission level at the latest by 2050. In parallel to this, it is critical to adapt to climate change and enhance climate resilience across all sectors, in all systems and processes.

To achieve ambitious emissions reduction, and move toward climate neutrality, the City of Poughkeepsie will need to set a clear goal and act rapidly following a holistic and integrated approach. Climate action is an opportunity for our community to experience a wide range of co-benefits, such as creating socio-economic opportunities, reducing poverty and inequality, and improving the health of people and nature.



ICLEI Climate Mitigation Milestones

In response to the climate emergency, many communities in the United States are taking responsibility for addressing emissions at the local level. Since many of the major sources of greenhouse gas emissions are directly or indirectly controlled through local policies, local governments have a strong role to play in reducing greenhouse gas emissions within their boundaries, as well as influencing regional emissions through partnerships and advocacy. Through proactive measures around land use patterns, transportation demand management, energy efficiency, green building, waste diversion, and more, local governments can dramatically reduce emissions in their communities. In addition, local governments are primarily responsible for the provision of emergency services and the mitigation of natural disaster impacts.

ICLEI provides a framework and methodology for local governments to identify and reduce greenhouse gas emissions, organized along Five Milestones, also shown in Figure 2:

1. Conduct an LGO inventory and forecast of local government greenhouse gas emissions;
2. Establish a greenhouse gas emissions target;
3. Develop an LGO climate action plan for achieving the emissions reduction target;
4. Implement the climate action plan; and,
5. Monitor and report on progress.

This report represents the completion of ICLEI’s Climate Mitigation Milestone One, and provides a foundation for future work to reduce greenhouse gas emissions in the City of Poughkeepsie.



Figure 3: ICLEI Climate Mitigation Milestones

Inventory Methodology

Understanding a Greenhouse Gas Emissions Inventory

The first step toward achieving tangible greenhouse gas emission reductions requires identifying baseline emissions levels and sources and activities generating emissions in the community. This report presents emissions from operations of the City of Poughkeepsie government. The government operations inventory is mostly a subset of the community inventory, as shown in Figure 3. For example, data on commercial energy use by the community includes energy consumed by municipal buildings, and community vehicle-miles-traveled estimates include miles driven by municipal fleet vehicles.



Figure 4: Relationship of Community and Government Operations Inventories

As local governments continue to join the climate protection movement, the need for a standardized approach to quantify GHG emissions has proven essential. This inventory uses the approach and methods provided by the U.S. Community Protocol for Accounting and Reporting Greenhouse Gas Emissions (Community Protocol) and the Local Government Operations Protocol for Accounting and Reporting Greenhouse Gas Emissions (LGO Protocol), both of which are described below.

Three greenhouse gases are included in this inventory: carbon dioxide (CO₂), methane (CH₄) and nitrous oxide (N₂O). Many of the charts in this report represent emissions in “carbon dioxide equivalent” (CO₂e) values, calculated using the Global Warming Potentials (GWP) for methane and nitrous oxide from the IPCC X5h Assessment Report:

Table 1: Global Warming Potential Values (IPCC, 2014)

Greenhouse Gas	Global Warming Potential
Carbon Dioxide (CO ₂)	1
Methane (CH ₄)	28
Nitrous Oxide (N ₂ O)	265

Local Government Operations (LGO) Protocol

In 2010, ICLEI, the California Air Resources Board (CARB), and the California Climate Action Registry (CCAR) released Version 1.1 of the LGO Protocol.³ The LGO Protocol serves as the national standard for quantifying and reporting greenhouse emissions from local government operations. The purpose of the LGO Protocol is to provide the principles, approach, methodology, and procedures needed to develop a local government operations greenhouse gas emissions inventory.

The following activities are included in the LGO inventory:

- Energy and natural gas consumption from buildings & facilities
- Streetlights and traffic signals
- Wastewater treatment processes
- Solid waste facilities
- On-road transportation from the vehicle fleet

Quantifying Greenhouse Gas Emissions

Base Year

The inventory process requires the selection of a base year with which to compare current emissions. The City of Poughkeepsie's LGO greenhouse gas emissions inventory utilizes 2019 as its baseline year, for which the necessary data are available.

Quantification Methods

Greenhouse gas emissions can be quantified in two ways:

- Measurement-based methodologies refer to the direct measurement of greenhouse gas emissions (from a monitoring system) emitted from a flue of a power plant, wastewater treatment plant, landfill, or industrial facility.
- Calculation-based methodologies calculate emissions using activity data and emission factors. To calculate emissions accordingly, the basic equation below is used:

$$\text{Activity Data} \times \text{Emission Factor} = \text{Emissions}$$

Most emissions sources in this inventory are quantified using calculation-based methodologies. Activity data refer to the relevant measurement of energy use or other greenhouse gas-generating processes such

³ ICLEI. 2008. Local Government Operations Protocol for Accounting and Reporting Greenhouse Gas Emissions. Retrieved from <http://www.iclei.org/programs/climate/ghg-protocol/ghg-protocol>

as fuel consumption by fuel type, metered annual electricity consumption, and annual vehicle miles traveled. Please see appendices for a detailed listing of the activity data used in composing this inventory.

Known emission factors are used to convert energy usage or other activity data into associated quantities of emissions. Emissions factors are usually expressed in terms of emissions per unit of activity data (e.g. lbs. CO₂/kWh of electricity). For this inventory, calculations were made using ICLEI’s ClearPath tool.



Figure 5 Ashworth Creative 2023

Government Operations Emissions Inventory Results

Government operations emissions for 2019 are shown in Table 2 and Figure 4.


Table 2: Local Government Operations Inventory

Sector	Fuel or source	2019 Usage	Usage unit	2019 Emissions (MTCO ₂ e)
Buildings & Facilities	Electricity	5452529	kWh	583
	Natural Gas	129198	Therms	685

	Residual Fuel Oil Bo. 5	8928.30	Gallons	92
Buildings & Facilities total				1362
Street Lights & Traffic Signals	Electricity	1505749	kWh	159
Street Lights & Traffic Signals total				159
Vehicle Fleet	Gasoline (on-road)	66758	Gallons	586
	Diesel (on-road)	60346.2	Gallons	616
Vehicle Fleet total				1202
Solid Waste	Waste Generation	114	Tons	74
	Electric	149197	kWh	16
	Gas	7051886	Gallons	0
	Compost			
Solid waste total				90
Water and wastewater	Electric	3992093	kWh	421
	Natural Gas	1626	MMBtu	86
Water and wastewater total				507
Total government emissions				3320

Figure 4 shows the distribution of emissions among the four sectors included in the inventory. Buildings and Facilities represent the plurality of emissions, followed by the vehicle fleet and water & wastewater facilities. Street lights, traffic lights and solid waste account for a small portion of emissions.

Figure 6: Local Government Operations Emissions by Sector



Next Steps:

The local government operations emissions inventory points to a need for further analysis of ways to reduce GHG emissions from the Town's two largest GHG emissions sectors: Building and Facilities and Vehicle Fleet. The next step will be the creation of a Climate Action Plan in conjunction with the Hudson Valley Regional Council's Climate Action Planning Institute (CAPI). CAPI is a facilitated working group of nine Dutchess municipalities taking a collaborative approach to climate action planning to address climate change more efficiently at the local level.

Additionally, the municipality should forecast how emissions are projected to change over time, set an emissions-reduction target, and build upon the municipality's existing Climate Smart efforts in creating a robust climate action plan that identifies specific strategies, initiatives, and actions to realistically meet our reduction target.

Conclusion

This inventory marks the completion of Milestone One of the Five ICLEI Climate Mitigation Milestones. The next steps are to forecast emissions, set an emissions-reduction target, and build upon the existing PK4Keeps Comprehensive Plan with a more robust climate action plan that identifies specific quantified strategies that can cumulatively meet that target.

The Intergovernmental Panel on Climate Change (IPCC) states that to meet the Paris Agreement commitment of keeping warming below 1.5°C we must reduce global emissions by 50% by 2030 and reach climate neutrality by 2050. Equitably reducing global emissions by 50% requires that high-emitting, wealthy nations reduce their emissions by more than 50%. More than ever, it is imperative that countries, regions, and local governments set targets that are ambitious enough to slash carbon emissions between now and mid-century.

In addition, the City of Poughkeepsie will continue to track key energy use and emissions indicators on an on-going basis. It is recommended that communities update their inventories on a regular basis, especially as plans are implemented to ensure measurement and verification of impacts. Regular inventories also allow for “rolling averages” to provide insight into sustained changes and can help reduce the change of an anomalous year being incorrectly interpreted. This inventory shows that buildings, facilities, the vehicle fleet as well as communitywide transportation patterns will be particularly important to focus on. Through these efforts and others, the City of Poughkeepsie can achieve environmental, economic, and social benefits beyond reducing emissions.

Appendix: Methodology Details

Energy

The following tables show each activity, related data sources, and notes on data gaps.

Table 3: Energy Data Sources

Activity	Data Source	Data Gaps/Assumptions
Local Government Operations		
Electricity consumption	Central Hudson & 2019 Energy Account	The traffic light's kWh sources from internal energy account, all others provided by Central Hudson.
Natural gas consumption	Central Hudson	

Table 4: Emissions Factors for Electricity Consumption

Year	CO ₂ (lbs./MWh)	CH ₄ (lbs./GWh)	N ₂ O (lbs./GWh)
2019	232.305	17	2

Transportation

Table 5: Transportation Data Sources

Activity	Data Source	Data Gaps/Assumptions
Local Government Operations		
Government vehicle fleet	2019 Energy Account	

For vehicle transportation, it is necessary to apply average miles per gallon and emissions factors for CH₄ and N₂O to each vehicle type. The factors used are shown in Table 6.

Table 6: MPG and Emissions Factors by Vehicle Type

Fuel	Vehicle type	MPG	CH ₄ g/mile	N ₂ O g/mile
Gasoline	Passenger car	24.1	0.0183	0.0083
Gasoline	Light truck	17.6	0.0193	0.0148
Gasoline	Heavy truck	5.371652	0.0785	0.0633
Gasoline	Motorcycle	24.1	0.0183	0.0083
Diesel	Passenger car	24.1	0.0005	0.001
Diesel	Light truck	17.6	0.001	0.0015
Diesel	Heavy truck	6.392468	0.0051	0.0048

Wastewater

Table 7: Wastewater Data Sources

Activity	Data Source	Data Gaps/Assumptions
Local Government Operations		
Energy used in wastewater facilities	Central Hudson	The 173 Kittiridge figure is a proportion of Poughkeepsie's population compared to all municipalities served.

Solid Waste

Table 8: Solid Waste Data Sources

Activity	Data Source	Data Gaps/Assumptions
Local Government Operations		
Government Staff Waste	Westchester County Department of Environmental Facilities	A proportion of the total waste created by the city as compared with City employees over the city's total population.

Inventory Calculations

The 2019 inventory was calculated following the US Community Protocol and ICLEI's ClearPath software. As discussed in Inventory Methodology, the IPCC 5th Assessment was used for global warming potential (GWP) values to convert methane and nitrous oxide to CO2 equivalent units. ClearPath's inventory calculators allow for input of the sector activity (i.e. kWh or VMT) and emission factor to calculate the final CO2e emissions.



This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/). It may not be used for any commercial purpose. Any non-commercial use of this material must provide attribution to ICLEI Local Governments for Sustainability USA.